

CURRICULUM VITAE

Keum Won Kim M.D., Ph.D.

Konyang University Hospital, College of Medicine

Department of Radiology

Professor

Education:

Keimyung University College of Medicine : 1988.3. – 1994.2.

Keimyung University College of Medicine, Master's degree : 1998 – 2000 :

Chungnam National University College of Medicine, Ph.D.: 2012

Postgraduate:

Presbyterian Hospital, Radiology Resident : 1995 -1999

Korea University College of Medicine, Anam Hospital, Breast Radiology & Genitourinary Radiology Fellowship : 2003

University of North Carolina, Research Scholar : 2014-2015

Konyang University Hospital, College of Medicine, professor : 2004 -- 2024

Membership Society:

Member of Korean Society of Radiology

Member of Korean Society of Ultrasound in Medicine

Member of Society of Breast imaging

Member of Society of Urological radiology

Paper

| | |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Diagnostic usefulness of combination of DWI and DCE MRI, including ADC value of breast cancer. Kim KW et al. Academic Radiol 2019; 25; 643 |
| 2 | Ultrasonography-Guided Vacuum Assisted Biopsy for Breast Lesions: Clinical Performance and Complications Kim KW, Seo JY, Kim YJ, 2021 Annals of R.S.C.B. 2021;25;1550–1554 |
| 3 | Clinicopathologic review of intraductal papilloma, JBC 2010;1; 31-36 |

| | |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4 | Sonographic finding of mammary ductectasia, JBC 2010;13;19-16 |
| 5 | Comparision of Radiologic Feature of triple negative and estrogen/progesterone receptor positive cancer JKSR Kim YJ, Kim KW, et al, 2013: 68;489-498 |
| 6 | Diagnostic benefits of ultrasound -guided biopsy versus mammography- guided biopsy for suspicious microcalcifications without definite breast mass, Kim KW, Yun MJ et al. KCS 2017 |
| 7 | Usefulness of Apparent Diffusion Coefficient Value of Diffusion-Weighted Imaging and Peak Standardized Uptake Values of Positron Emission Tomography-CT for Predicting Prognostic Factors of Breast Cancer. Kim KW, Kang TS et al, JKSR 2019 |
| 8 | Effects of an advanced mammography interpretation camp conducted on radiology residents. Kim KW et al, JKSR 2017 |
| 9 | Analysis of Participant Factors That Affect the Diagnostic Performance of Screening Mammography: A Report of the Alliance for Breast Cancer Screening in Korea. Kim YJ et al . KJR 2017: 43 |
| 10 | Usefulness of for BI-RAD category 4 or higher lesions. Byun JS et al, JKCO 2017: 13: 173 |
| 11 | Interobserver agreement in breast ultrasound categorization in the Mammography and Ultrasonography Study for Breast Cancer Screening Effectiveness (MUST-BE) trial: Ultrasonography 2019: 28; 172—182 |
| 12 | Ultrasound-guided needle biopsy of large thyroid nodules: Core needle biopsy yields more reliable results than fine needle aspiration. Lee HJ et al, J clin Ultrasound 2019 |
| 13 | Weakly-supervised deep learning for ultrasound diagnosis of breast cancer. Kim HJ et al. Scientific report l2021: 11;243 |
| 14 | Diagnostic Performance of Multiparametric MR Imaging According to the Location of Prostate Cancer Kim KW, An JH el al. 2022 |
| 15 | Diagnostic Performance of Multi-parametric MR Imaging According to the Location of Prostate Cancer An JH, Kim KW, et al. Egyptian Radiology 2021 |

| | |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 16 | Potential use of American College of Radiology BIRADS mammography atlas for reporting and assessing lesions detected on dedicated breast CT imaging. Jung HK et al. Acta radiol 2017 |
| 17 | First-Line Use of Core Needle Biopsy for High-Yield Preliminary Diagnosis of Thyroid Nodule, kim YJ et al, Am J Neuroradiol 2017;38;357 |